




# System analysis






**Technical Overview**

- Meter Weight: 0.45kg /m
- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm

**Usage Instructions**

- A type for vertical and horizontal cover used for Hanging track system and Bottom track system



**Technical Overview**




- Meter Weight: 0.64kg /m
- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm

**Usage Instructions**

- A type for vertical and horizontal cover used for Hanging track system and Bottom track system

Product name	Model Number
Wall cover plate (12.5x55)	OPK-A302

Product name	Model Number
Wall cover plate (12.5x90)	OPK-A301






**Technical Overview**

- Meter Weight: 0.95kg /m
- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm

**Usage Instructions**

- A type for vertical cover used for Hanging track system and Bottom track system
- Align with the track and do center installation. Only when plan to install lock then needs this plate.
- Can be used as edge concealing profile



**Technical Overview**



- Meter Weight: 1.57kg /m
- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm

**Usage Instructions**


- A type for vertical cover used for Hanging track system and Bottom track system
- Align with the track and do center installation. Only when plan to install lock then needs this plate.
- Can be used as edge concealing profile

Product name	Model Number
Wall cover plate (12.5x132)	OPK-A334


Product name	Model Number
Wall cover plate (12.5x178)	OPK-A335



Flat track



Visible track





**Technical Overview**


- Meter Weight: 0.65kg /m
- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm

**Usage Instructions**


- Used for hanging track system



Flat track



Visible track



**Technical Overview**

- Meter Weight: 0.57kg /m
- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm


**Usage Instructions**

- Used for Bottom track system

Product name	Model Number
Wall cover connecting plate for hanging track	OPK-A337

Product name	Model Number
Top wall cover connecting plate (Bottom track system)	OPK-A338

Use technology to perfect life, And to make industry-benign sustainable development






**Technical Overview**

- Meter Weight:0.29kg /m
- Material:Aluminum Alloy
- Surface Treatment:Enamelled copper/Cypress grey/Titanium void grey
- Length:6000mm

**Usage Instructions**

- Can be used singly
- Can be used with concealed track(for Top wall cover A)





**Technical Overview**

- Meter Weight:0.1kg /m
- Material:Aluminum Alloy
- Surface Treatment:Enamelled copper/Cypress grey/Titanium void grey
- Length:6000mm


**Usage Instructions**

- sed with top wall cover A
- Surface treatment can do the same color with top wall cover; or do latex paint while profile is sand white treatment






Product name	Model Number
Top wall cover A	OPK-A304

Product name	Model Number
Concealed track ( for Top wall cover A)	OPK-A313





**Technical Overview**

- Meter Weight:0.33kg /m
- Material:Aluminum Alloy
- Surface Treatment:Enamelled copper/Cypress grey/Titanium void grey
- Length:6000mm




**Technical Overview**

- Meter Weight:0.32kg /m
- Material:Aluminum Alloy
- Surface Treatment:Enamelled copper/Cypress grey/Titanium void grey
- Length:6000mm






Product name	Model Number
Top wall cover B	OPK-A305

Product name	Model Number
Top wall cover C	OPK-A306





**Technical Overview**

- Meter Weight:0.54kg /m
- Material:Aluminum Alloy
- Surface Treatment:Enamelled copper/Cypress grey/Titanium void grey
- Length:6000mm



**Technical Overview**


- Meter Weight:0.38kg /m
- Material:Aluminum Alloy
- Surface Treatment:Enamelled copper/Cypress grey/Titanium void grey
- Length:6000mm



Product name	Model Number
Top wall cover (45mm) A	OPK-A343



Product name	Model Number
Top wall cover (45mm) B	OPK-A344

# System analysis




**Technical Overview**

- Meter Weight: 0.2kg /m
- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm





Product name	Model Number
Top wall cover for visible track	OPK-A336



**Technical Overview**


- Meter Weight: 0.25kg /m
- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm



Product name	Model Number
The concealed track closing strip	OPK-A308

**Usage Instructions**

- apply to Hanging sliding roller track





**Technical Overview**


- Meter Weight: 0.23kg /m
- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm

**Usage Instructions**

- apply to Hanging sliding visible track (without the wall cover)



Product name	Model Number
Hanging sliding track wall cover	OPK-A321





**Technical Overview**


- Meter Weight: 0.2kg /m
- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm

**Usage Instructions**

- Used for visible track without wall cover (Bottom track system)



Product name	Model Number
Top track decorative cover (Bottom track system)	OPK-A322-40





**Technical Overview**


- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm

**Usage Instructions**

- apply to low Hanging sliding visible track (without the door cover)



Product name	Model Number
low hanging sliding visible track wall cover	OPK-A346





**Technical Overview**

- Meter Weight: 0.08kg /m
- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm


**Usage Instructions**

- apply to hanging sliding track



Product name	Model Number
40 Hanging sliding track decorated strip (side)	OPK-A310

Use technology to perfect life, And to make industry-benign sustainable development






**Technical Overview**

- Meter Weight:0.13kg /m
- Material:Aluminum Alloy
- Surface Treatment:Enamelled copper/Cypress grey/Titanium void grey
- Length:6000mm

**Usage Instructions**

- apply to hanging sliding track





**Technical Overview**

- Meter Weight:0.15kg /m
- Material:Aluminum Alloy
- Surface Treatment:Enamelled copper/Cypress grey/Titanium void grey
- Length:6000mm


**Usage Instructions**

- apply to hanging sliding track



Product name	Model Number
40 Hanging sliding track decorated strip(Middle)	OPK-A309-40

Product name	Model Number
45 Hanging sliding track decorated strip(Middle)	OPK-A314-45






**Technical Overview**

- Meter Weight:0.07kg /m
- Material:Aluminum Alloy
- Surface Treatment:Enamelled copper/Cypress grey/Titanium void grey
- Length:6000mm

**Usage Instructions**

- Used for Bottom track system





**Technical Overview**

- Meter Weight:0.11kg /m
- Material:Aluminum Alloy
- Surface Treatment:Enamelled copper/Cypress grey/Titanium void grey
- Length:6000mm


**Usage Instructions**

- Used for Bottom track system



Product name	Model Number
40 decorative cover ( Side, Bottom track system)	OPK-A312

Product name	Model Number
40 decorative cover ( Middle, Bottom track system)	OPK-A311-40




**Technical Overview**

- Meter Weight:0.12kg /m
- Material:Aluminum Alloy
- Surface Treatment:Enamelled copper/Cypress grey/Titanium void grey
- Length:6000mm


**Usage Instructions**

- Used for Bottom track system



Product name	Model Number
45 decorative cover ( Middle, Bottom track system)	OPK-A315-45

# System analysis





**Technical Overview**


- Meter Weight:0.32kg /m
- Material:Aluminum Alloy
- Surface Treatment:Enamelled copper/Cypress grey/Titanium void grey
- Length:6000mm

**Usage Instructions**

- apply to pocket door



Product name	Model Number
Pocket door fixing track	OPK-A363





**Technical Overview**


- Meter Weight:0.13kg /m
- Material:Aluminum Alloy
- Surface Treatment:Enamelled copper/Cypress grey/Titanium void grey
- Length:6000mm

**Usage Instructions**

- apply to pocket door



Product name	Model Number
the pocket door U-Taye adjuster	OPK-A327





**Technical Overview**


- Meter Weight:0.18kg /m
- Material:Aluminum Alloy
- Surface Treatment:Enamelled copper/Cypress grey/Titanium void grey
- Length:6000mm

**Usage Instructions**

- apply to pocket door



Product name	Model Number
the pocket door Expansion adjuster	OPK-A328





**Technical Overview**


- Meter Weight:0.24kg /m
- Material:Aluminum Alloy
- Surface Treatment:Enamelled copper/Cypress grey/Titanium void grey
- Length:6000mm

**Usage Instructions**

- apply to pocket door



Product name	Model Number
Adjustment expansion profile for pocket door wall cover	OPK-A329





**Technical Overview**


- Meter Weight:0.541kg /m
- Material:Aluminum Alloy
- Surface Treatment:Enamelled copper/Cypress grey/Titanium void grey
- Length:6000mm

**Usage Instructions**

- Used for Pocket Linkaged door



Product name	Model Number
Pocket door dam-board	OPK-A205





**Technical Overview**

- Meter Weight:0.35kg /m
- Material:Aluminum Alloy
- Surface Treatment:Enamelled copper/Cypress grey/Titanium void grey
- Length:6000mm


**Usage Instructions**

- Used for Invisible door



Product name	Model Number
Invisible door panel decorative cover	OPK-A226

Use technology to perfect life, And to make industry-benign sustainable development




**Technical Overview**


- Meter Weight: 0.79kg /m
- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm

**Usage Instructions**

- Used for Invisible door



Product name	Model Number
Invisible door wall cover for guiding track	OPK-A339




**Technical Overview**


- Meter Weight: 0.24kg /m
- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm

**Usage Instructions**

- Used for Invisible door



Product name	Model Number
Invisible door concealed profile for semi-wall cover	OPK-A342




**Technical Overview**


- Meter Weight: 0.53kg /m
- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm

**Usage Instructions**

- Used for Invisible door



Product name	Model Number
Invisible door outer vertical door profile	OPK-A340




**Technical Overview**


- Meter Weight: 0.26kg /m
- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm

**Usage Instructions**

- Used for Invisible door



Product name	Model Number
Invisible door inner vertical door profile	OPK-A341




**Technical Overview**


- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm

**Usage Instructions**

- apply to the swing door



Product name	Model Number
Swing door front-installed wall cover (bevelled surface, open towards inside)	OPK-A354




**Technical Overview**

- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm


**Usage Instructions**

- apply to the swing door



Product name	Model Number
Swing door back-installed wall cover (straight surface type, open towards inside)	OPK-A355

# System analysis




**Technical Overview**


- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm

**Usage Instructions**

- apply to the swing door



Product name	Model Number
Swing door back-installed wall cover (bevelled surface, open towards inside)	OPK-A355




**Technical Overview**


- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm

**Usage Instructions**

- apply to the swing door



Product name	Model Number
Swing door front-installed decorative cover (open towards inside)	OPK-A325




**Technical Overview**


- Meter Weight: 0.33kg /m
- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm

**Usage Instructions**

- Used for fixed door



Product name	Model Number
4013 lifting adjuster	OPK-A217-40




**Technical Overview**

- Meter Weight: 0.25kg /m
- Material: Aluminum Alloy
- Surface Treatment: Enamelled copper/Cypress grey/Titanium void grey
- Length: 6000mm

**Usage Instructions**

- Used for folding door



Product name	Model Number
Sheltered Side	OPK-A350